Gene Structure and Expression

Vol. 1172, 1993

Cumulative Contents

Editorial ix

Information for Contributors xi

Regular Papers

Conformational changes in oligo-nucleotides upon binding to a peptide representing the N-terminal region of a viral coat protein. An optical spectroscopy study
C.J.A.M. Wolfs, M. Van der Graaf and M.A. Hemminga (Netherlands) 1

Preliminary characterisation and partial purification of ribosomal gene promoter-binding proteins from *Trypanosoma brucei*
P.W. Mburu and T.J.C. Beebee (UK) 5

Identification and characterization of a yeast gene encoding an adenylate kinase homolog
M. Konrad (Germany) 12

Alteration of superhelical state of DNA by aluminium (Al)
K.S. Jagannatha Rao, B. Sridhara Rao, D. Vishnuvardhan and K.V.S. Prasad (India) 17

Isolation and sequence analysis of variant forms of human transcobalamin II
N. Li, S. Seetharam, J. Lindemans, D.H. Alpers, F. Arwert and B. Seetharam (USA, Netherlands) 21

Regulation of the human elastin promoter in chick embryo cells. Tissue-specific effect of TGF-β
V. Marigo, D. Volpin and G.M. Bressan (Italy) 31

The structure and expression of the FGF receptor-1 mRNA isoforms in rat tissues
N. Yazaki, H. Fujita, M. Ohta, T. Kawasaki and N. Itoh (Japan) 37

Cloning of two isozymes of *Trichoderma koningii* glyceraldehyde-3-phosphate dehydrogenase with different sensitivity to koningic acid
H. Watanabe, K. Hasumi, Y. Fukushima, K. Sakai and A. Endo (Japan) 43

HGH isoforms: cDNA expression, adipogenic activity and production in cell culture
D.E. Rincón-Limas, D. Reséndez-Pérez, R. Ortíz-López, L.E. Alvídrez-Quihui, F. Castro-MuñozLedo, W. Kuri-Harcuch, H.G. Martínez-Rodríguez and H.A. Barrera-Saldaña (Mexico) 49

1,25-Dihydroxyvitamin D-3 destabilizes c-*myc* mRNA in HL-60 leukemic cells
K. Mangasarian and W.S. Mellon (USA) 55

Exon skipping in the expression of the gene immediately upstream of N-*ras* (*unr / NRU*)
O. Boussadia, H. Jacquemin-Sablon and F. Dautry (France) 64

Identification of the initiation region of DNA replication in the murine immunoglobulin heavy chain gene and possible function of the octamer motif as a putative DNA replication origin in mammalian cells
S.M.M. Iguchi-Ariga, N. Ogawa and H. Ariga (Japan) 73

Interaction between the thyroid hormone receptor and co-factors on the promoter of the gene encoding phospho*enol*pyruvate carboxykinase
E.D.L. Schmidt, M. Van Beeren, C.K. Glass, W.M. Wiersinga and W.H. Lamers (Netherlands, USA) 82

Interaction of *Vsp*I and *Tru*9I restriction endonucleases with synthetic oligonucleotides
S.K. Degtyarev, E.A. Prikhod'ko, N.I. Rechkunova and Y.A. Gorbunov (Russian Federation) 89

Differential expression of the mRNAs for the soluble and membrane-bound forms of rabbit cytochrome b_5
S.J. Giordano and A.W. Steggles (USA) 95

Purification and characterization of the HU-like protein HPB9 from the *Bacillus subtilis* nucleoid
F. Le Hégarat, V. Salti-Montesanto, Y. Hauck and L. Hirschbein (France) 101

Characterization of DBPm, a plant protein that binds to DNA containing 5-methylcytosine
K.C. Ehrlich (USA) 108

Reduced sensitivity to camptothecin of topoisomerase I from a L5178Y mouse lymphoma subline sensitive to X-radiation
B. Kowalska-Loth, K. Staron, I. Buraczewska, I. Szumiel, M. Kapiszewska and C.S. Lange (Poland, USA) 117

Age- and tissue-dependent expression of *CYP2C23* in the rat
S. Marie, F. Roussel and T. Cresteil (France) 124

continued

Molecular cloning of human von Ebner's gland protein, a member of the lipocalin superfamily highly expressed in lingual salivary glands
M. Bläker, K. Kock, C. Ahlers, F. Buck and H. Schmale (Germany) 131

Identification of a functional initiator sequence in the human *MDR1* promoter
M. Van Groenigen, L.J. Valentijn and F. Baas (Netherlands) 138

Short Sequence-Papers

Structure of the gene encoding human liver cholesterol 7α-hydroxylase
M. Nishimoto, M. Noshiro and K. Okuda (Japan) 147

A gene coding for a new plant serpin
S.K. Rasmussen (Denmark) 151

Human FLI-1 localizes to chromosome 11Q24 and has an aberrant transcript in neuroepithelioma
R. Hromas, W. May, C. Denny, W. Raskind, J. Moore, R.A. Maki, E. Beck and M.J. Klemsz (USA) 155

Sequence analysis of monkey acrosin-trypsin inhibitor transcripts and their abundant expression in the epididymis
A.C.F. Perry, R. Jones and L. Hall (UK) 159

Characterization of a cDNA encoding a human kidney, cytochrome *P*-450 4A fatty acid ω-hydroxylase and the cognate enzyme expressed in *Escherichia coli*
C.N.A. Palmer, T.H. Richardson, K.J. Griffin, M.-H. Hsu, A.S. Muerhoff, J.E. Clark and E.F. Johnson (USA) 161

Cloning and sequencing of a full length cDNA encoding ovine lipoprotein lipase
W.D. Edwards, S.E. Daniels, R.A. Page, C.P. Volpe, P. Kille, G.E. Sweeney and A. Cryer (UK) 167

Cloning and sequence analysis of the human β_1-adrenergic receptor 5′-flanking promoter region
S. Collins, J. Ostrowski and R.J. Lefkowitz (USA) 171

Molecular cloning and expression of rabbit pancreatic cholesterol esterase
N.S. Colwell, J.A. Aleman-Gomez and B.V. Kumar (USA) 175

Cloning and structural analysis of genomic DNA for human renal dipeptidase
S. Satoh, C. Kusunoki, Y. Konta, M. Niwa and M. Kohsaka (Japan) 181

Cloning and tissue-specific expression of cDNAs for the human and mouse homologues of rat pancreatitis-associated protein (PAP)
T. Itoh and H. Teraoka (Japan) 184

Nucleotide sequence of the p74 gene of a baculovirus pathogenic to the spruce budworm, *Choristoneura fumiferana* multicapsid nuclear polyhedrosis virus
J.E. Hill, J. Kuzio, J.A. Wilson, E.A. MacKinnon and P. Faulkner (Canada) 187

Structure of the human apolipoprotein D gene promoter region
J. Lambert, P.R. Provost, Y.L. Marcel and E. Rassart (Canada) 190

A rat histone H2B pseudogene is closely associated with the histone H1d gene
B. Drabent, C. Kunz and D. Doenecke (Germany) 193

The 5′ sequence of human Factor XII gene contains transcription regulatory elements typical of liver specific, estrogen-modulated genes
F. Citarella, S. Misiti, A. Felici, A. Aiuti, C. La Porta and A. Fantoni (Italy) 197

Cloning and characterization of a novel member of protein kinase family from soybean
X.-H. Feng, Y. Zhao, P.J. Bottino and S.-d. Kung (USA) 200

An adenine nucleotide translocator gene from *Arabidopsis thaliana*
W. Schuster, S. Kloska and A. Brennicke (Germany) 205

Characterization of a full-length cDNA encoding a bovine four tandem-repeat ubiquitin
F. Wempe and K.H. Scheit (Germany) 209

Structural analysis and expression of a chromosomal gene encoding an avian Na^+/K^+-ATPase β1-subunit
K. Takeyasu, M. Hamrick, A.M. Barnstein and D.M. Fambrough (USA) 212

Nucleotide sequence of a cDNA for canine β-spectrin reveals high evolutionary conservation
S. Tan, V. Shankar, M.S. Gilmore and G.P. Sachdev (USA) 217

Determination of mouse major asialoglycoprotein receptor cDNA sequence
R. Takezawa, K. Shinzawa, Y. Watanabe and T. Akaike (Japan) 220

Isolation of a cDNA specifying subunit VIIb of human cytochrome *c* oxidase
J.E. Sadlock, R.N. Lightowlers, R.A. Capaldi and E.A. Schon (USA) 223

Organization of a rainbow trout estrogen receptor gene
M.-G. Le Roux, N. Thézé, J. Wolff and J.-P. Le Pennec (France) 226

A retropseudogene for non-histone chromosomal protein HMG-1
M. Štros and G.H. Dixon (Canada) 231

Nucleotide sequence of the genes encoding proline tRNA(UGG) and threonine tRNA(GGU)

and consensus promoter model of *Thermococcus celer*
H.-P. Klenk, V. Schwass and W. Zillig (Germany) 236

Regular Papers

Theoretical and matrix-isolation experimental studies on 2-thiocytosine and 5-fluoro-2-thiocytosine
H. Rostkowska, M.J. Nowak, L. Lapinski, M. Bretner, T. Kulikowski, A. Leś and L. Adamowicz (Poland, USA) 239
Prodynorphin mRNA expression in adult cultured rat ventricular cardiac myocytes
M. Canossa, C. Ventura, I. Vaona, L. Carboni, C. Guarnieri and S. Spampinato (Italy) 247
Interaction of bacterial RNA-polymerase with two different promoters of phage T7 DNA. Conformational analysis
O.N. Ozoline, T.A. Uteshev, I.S. Masulis and S.G. Kamzolova (Russian Federation) 251
Effect of a rare leucine codon, TTA, on expression of a foreign gene in *Streptomyces lividans*
Y. Ueda, S. Taguchi, K.-i. Nishiyama, I. Kumagai and K.-i. Miura (Japan) 262
The atp2 operon of the green bacterium *Chlorobium limicola*
D.-L. Xie, H. Lill, G. Hauska, M. Maeda, M. Futai and N. Nelson (USA, Germany, Japan) 267
Stimulation of SV40 DNA replication and transcription by *Alu* family sequence
Y. Saëgusa, M. Sato, I. Galli, T. Nakagawa, N. Ono, S.M.M. Iguchi-Ariga and H. Ariga (Japan) 274
Novel HeLa topoisomerase II is the IIβ isoform: complete coding sequence and homology with other type II topoisomerases
C.A. Austin, J.-H. Sng, S. Patel and L.M. Fisher (UK) 283
cDNA cloning of a hnRNP A1 isoform and its regulation by retinol in monkey tracheobronchial epithelial cells
G. An and R. Wu (USA) 292
The dysfunction of coagulation factor VII_{Padua} results from substitution of arginine-304 by glutamine
H.L. James, A. Girolami, J.G. Hubbard, A. Kumar and D.S. Fair (USA, Italy) 301

Rapid Report

Activation of mouse renin promoter by cAMP and c-Jun in a kidney-derived cell line
K. Tamura, K. Tanimoto, K. Murakami and A. Fukamizu (Japan) 306

Short Sequence-Papers

Molecular cloning and sequence of cDNAs for the import precursors of oligomycin sensitivity conferring protein, ATPase inhibitor protein, and subunit c of H^+-ATP synthase in rat mitochondria
T. Higuti, K. Kuroiwa, Y. Kawamura, K. Morimoto and H. Tsujita (Japan) 311
Primary structure of the canine CD4 antigen
K.F. Milde, G.E. Conner, D.H. Mintz and R. Alejandro (USA) 315
Identification of promoter region of guinea pig liver transglutaminase gene
N. Suto, K. Ikura, R. Shinagawa and R. Sasaki (Japan) 319
The insulin-elicited 160 kDa phosphotyrosine protein in mouse adipocytes is an insulin receptor substrate 1: identification by cloning
S.R. Keller, R. Aebersold, C.W. Garner and G.E. Lienhard (USA, Canada) 323
Primary structure of the nuclear-encoded 10.5 kDa subunit of complex I from *Neurospora crassa*
M. Duarte, J.A. Belo and A. Videira (Portugal) 327
An open reading frame in the *Rhodospirillum rubrum* plasmid, pKY1, similar to *algA*, encoding the bifunctional enzyme phosphomannose isomerase-guanosine diphospho-D-mannose pyrophosphorylase (PMI-GMP)
T. Ideguchi, C. Hu, B.-H. Kim, H. Nishise, J. Yamashita and T. Kakuno (Japan) 329
The nucleotide sequence of a cloned cDNA encoding ribosomal protein S6 from *Drosophila melanogaster*
T.A. Spencer and G.A. Mackie (Canada) 332
Nucleotide sequences of the *Macaca fascicularis* apolipoprotein C-III and A-IV genes
J. Osada, M. Pocoví, R.J. Nicolosi, E.J. Schaefer and J.M. Ordovás (USA, Spain) 335
Molecular cloning and sequence of the cynomolgus monkey apolipoprotein A-II gene
J. Osada, C. Garcés, J. Sastre, E.J. Schaefer and J.M. Ordovás (Spain, USA) 340
Nucleotide sequence of the Chinese hamster Na^+/H^+ exchanger NHE1
L. Counillon and J. Pouysségur (France) 343
The barley α-thionin promoter is rich in negative regulatory motifs and directs tissue-specific expression of a reporter gene in tobacco
J.A. Fernández, M. Moreno, M.J. Carmona, A. Castagnaro and F. García-Olmedo (Spain) 346

continued

Identification of the nuclear-encoded chloroplast ribosomal protein L12 of the monocotyledonous plant *Secale cereale* and sequencing of two different cDNAs with strong codon bias
M. Schmidt, L. Pichl, M. Lepper and J. Feierabend (Germany) 349

Nucleotide sequence of the large mitochondrial rRNA gene of *Penicillium chrysogenum*
A. Naruse, H. Yamamoto and J. Sekiguchi ((Japan)) 353

Nucleotide sequence of the Mn-stabilizing protein gene of the thermophilic cyanobacterium *Synechococcus elongatus*
K. Miura, T. Shimazu, A. Motoki, S. Kanai, M. Hirano and S. Katoh (Japan) 357

The sequence of 5′ flanking DNA from the rat preprotachykinin gene; analysis of putative transcription factor binding sites
K. Chapman, V. Lyons and A.J. Harmar (UK) 361

Cumulative Contents, Vol. 1172 365

Author Index 369